



CUDA[®]
CLEANING SYSTEMS

Aqueous Parts Washers

- No more solvents
- No more mess
- No more wasted time
- Become productive again



LET'S CLEAN UP THE MESS IN 2024!



Proudly Made
in the USA
Since 1993

2412 SERIES



LIGHT DUTY

Cuda's 2412 series of parts washers is an attractive entry-level top-load aqueous parts washer. At only 35 inches wide, the Cuda 2412 Series parts washer has a 250-lb. load capacity, and a 24 inch turntable diameter. While boasting Cuda Series durability. The 115V model makes the 2412 especially versatile for use anywhere in the shop.

- Ideal for replacing sink on drum solvent tanks
- Small engine repair
- General light duty auto repair

- Close Coupled Sealed Pump: ½ HP / 20 GPM / 22 PSI
- 250 Lbs. Load Capacity, determined with even weight distribution
- 25 Gal. Sump Capacity
- 4.5 kW Heater / 1.8 kW Heater for 115V model
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 41"L x 35"W x 45"H
- Shipping: 57"L x 48"W x 56"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	HP	Electric Heater (kW)	Ship Wt (lbs)
Standard Models								
2412	1.043-540.0	12"	24"	115/1	15	½	1.8	600
2412	1.043-542.0	12"	24"	230/1	24	½	4.5	600
2412	1.043-541.0	12"	24"	208/1	26	½	4.5	600
Stainless Steel Models								
2412	1.043-543.0	12"	24"	115/1	15	½	1.8	600
2412	1.043-545.0	12"	24"	230/1	24	½	4.5	600
2412	1.043-544.0	12"	24"	208/1	26	½	4.5	600

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Recommended Accessories

Part No.	Description
8.642-702.0	Preferred Options Package - Contains Small Parts Basket, Containment Ring, Oil Container
8.725-270.1	Stainless Preferred Options Package - Contains Small Parts Basket, Containment Ring, Oil Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.915-143.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.705-962.0	24" Containment Ring
8.642-692.0	Heater Timer, 24 hour 7 day (230V only)	8.725-245.0	Deluxe Kit: Detail and Power Brush
8.642-694.0	Heater & Skimmer Timer, 24 hour 7 day	8.725-251.0	Detail Brush with Pump
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.642-699.0	Pneumatic Power Brush
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12"x 6")	8.725-269.0	Filtration
8.924-172.0	Oil Drain Container	8.704-104.0	Cuda Vac 55

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.725-269.1	Stainless Filtration	8.924-172.1	Stainless Oil Drain Container
8.642-704.0	Stainless Containment Ring		

2518 SERIES



MEDIUM DUTY

The 2518 Series is a heavy duty cleaning machine. It comes standard with a time-tested chain drive assembly, virtually maintenance-free vertical seal-less pump, and disc oil skimmer that can be automated for convenience in disposing of oil. Extra-easy access to the sump and removable debris screen set it apart from other top-loaders on the market.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 40"W x 50"H
- Shipping: 57"L x 48"W x 56"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2518	1.043-565.0	18"	25"	230/1	38	875
2518	1.043-564.0	18"	25"	208/1	42	875
2518	1.043-567.0	18"	25"	230/3	23	875
2518	1.043-566.0	18"	25"	208/3	25	875
2518	1.043-568.0	18"	25"	460/3	11	875
2518	1.043-569.0	18"	25"	575/3	9	875

NOTE: Stainless steel models not available at this time.

Standard Accessories

Part No.	Description
8.725-260.0	Preferred Options Package - Contains Parts Basket, Containment Ring, Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.731-256.0	25" Containment Ring
9.802-283.0	Hour Meter	8.725-246.0	Deluxe Kit: Detail and Power Brush
8.725-267.0	Heater Timer, 24 hour 7 day	8.725-252.0	Detail Brush with Pump
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.642-699.0	Pneumatic Power Brush
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.725-253.0	Filtration
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.725-254.0	Filtration & Sump Sweep
8.924-172.0	Oil Drain Container	8.704-104.0	Cuda Vac 55
8.915-316.0	60 Mesh Insert for Debris Screen Tray		

SJ SERIES



MEDIUM DUTY

The SJ-15 is ideal for batch process cleaning in a factory setting. The SJ-15 uses a patented spray wash technology which eliminates the need for a drive motor, gears and pulleys. Using a water-propelled spray arm with 23 nozzles that spin around a stationary parts basket, parts are hit from every angle while being cleaned. It has a 350-lb. load capacity, and a basket dimension of 32" x 21", 90 gallon sump capacity, 3 HP pump motor delivering 50 GPM @ 45 PSI.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 350 Lbs. Load Capacity, determined with even weight distribution
- 90 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Heater Timer (7 day / 24 hour)
- Machine: 51"L x 48"W x 49"H
- Shipping: 73"L x 60"W x 60"H



Technical data

Model	Part No.	Working Height	Basket Dimensions	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
SJ-15	1.043-648.0	18"	32" x 21"	230/1	38	1100
SJ-15	1.043-649.0	18"	32" x 21"	230/3	23	1100
SJ-15	1.043-650.0	18"	32" x 21"	460/3	11	1100
SJ-15	1.043-651.0	18"	32" x 21"	575/3	9	1100
SJ-15	1.043-646.0	18"	32" x 21"	208/1	42	1100
SJ-15	1.043-647.0	18"	32" x 21"	208/3	25	1100

Standard Accessories

Part No.	Description
8.725-271.0	Preferred Options Package - Contains Small Parts Basket and Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.725-278.0	Detail Brush with Pump
9.802-283.0	Hour Meter	8.642-699.0	Pneumatic Power Brush
8.725-283.0	Skimmer Timer, 24 hour 7 day	8.725-277.0	Pressure Gauge
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.712-156.0	Temperature Gauge
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12"x 6")	8.704-105.0	Cuda Vac 110
8.924-172.0	Oil Drain Container		

2530 SERIES

MEDIUM DUTY



The Cuda 2530 is our smallest front-load automatic parts washer model with a smaller footprint than many solvent tanks. Featuring a turntable diameter of 25-inches, working height of 30-inches, and load capacity of 500 lbs, the 2530 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- **Ideal for auto dealers and repair facilities with less than 7 techs**
- **Low volume transmission and diesel repair**
- **Many other applications from amusement parks to ski areas**

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 40 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 48"L x 45"W x 66"H
- Shipping: 57"L x 48"W x 79"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2530	1.043-372.0	30"	25"	230/1	38	950
2530	1.043-368.0	30"	25"	208/1	42	950
2530	1.043-365.0	30"	25"	230/3	23	950
2530	1.043-369.0	30"	25"	208/3	25	950
2530	1.043-366.0	30"	25"	460/3	11	950
2530	1.043-367.0	30"	25"	575/3	9	950
Stainless Steel Models						
2530	1.043-491.0	30"	25"	230/1	38	950
2530	1.043-489.0	30"	25"	208/1	42	950
2530	1.043-486.0	30"	25"	230/3	23	950
2530	1.043-490.0	30"	25"	208/3	25	950
2530	1.043-487.0	30"	25"	460/3	11	950
2530	1.043-488.0	30"	25"	575/3	9	950

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Recommended Accessories

Part No.	Description
8.914-906.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container
8.914-906.1	Stainless Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-143.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.915-120.0	Two-Tier Turntable ●
8.725-267.0	Heater Timer, 24 hour 7 day	8.731-256.0	25" Containment Ring
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.757-650.0	Premium Detail and Power Brush
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12"x 6")	8.915-145.0	Filtration
8.924-172.0	Oil Drain Container	8.915-144.0	Filtration & Sump Sweep
8.751-001.0	Adjustable Parts Tree - Medium	8.704-104.0	Cuda Vac 55

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.751-001.1	Stainless Adjustable Parts Tree - Medium	8.915-145.1	Stainless Filtration
9.804-616.0	Stainless Containment Ring	8.915-144.1	Stainless Filtration & Sump Sweep
8.924-172.1	Stainless Oil Drain Container	8.915-120.1	Stainless Two-Tier Turntable Stainless Pump Motor

2840 SERIES



MEDIUM DUTY

The Cuda 2840 is our most popular front-load automatic parts washer and is the preferred choice for auto dealers. The 2840 features a turntable diameter of 28-inches, working height of 40-inches, and load capacity of 1000 lbs. The 2840 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- **Ideal for larger auto dealers and repair shops**
- **Higher volume transmission and diesel repair shops**
- **Smaller loader tractor implement dealers**

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 75"H
- Shipping: 57"L x 48"W x 81"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2840	1.043-395.0	40"	28"	230/1	38	1050
2840	1.043-416.0	40"	28"	208/1	42	1050
2840	1.043-418.0	40"	28"	230/3	23	1050
2840	1.043-417.0	40"	28"	208/3	25	1050
2840	1.043-419.0	40"	28"	460/3	11	1050
2840	1.043-420.0	40"	28"	575/3	9	1050
Stainless Steel Models						
2840	1.043-492.0	40"	28"	230/1	38	1050
2840	1.043-493.0	40"	28"	208/1	42	1050
2840	1.043-498.0	40"	28"	230/3	23	1050
2840	1.043-494.0	40"	28"	208/3	25	1050
2840	1.043-496.0	40"	28"	460/3	11	1050
2840	1.043-497.0	40"	28"	575/3	9	1050

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Recommended Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container
8.915-493.1	Stainless Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-316.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.705-957.0	28" Containment Ring
8.725-267.0	Heater Timer, 24 hour 7 day	8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.757-650.0	Premium Detail and Power Brush
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.915-378.0	Filtration
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.915-379.0	Filtration & Sump Sweep
8.924-172.0	Oil Drain Container	8.704-104.0	Cuda Vac 55
8.751-001.0	Adjustable Parts Tree - Medium		Upgrade: 5HP motor / 9kW heater

● Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.751-001.1	Stainless Adjustable Parts Tree - Medium	8.915-378.1	Stainless Filtration
8.705-957.1	Stainless Containment Ring	8.915-379.1	Stainless Filtration & Sump Sweep
8.924-172.1	Stainless Oil Drain Container	8.915-351.1	Stainless Two-Tier Turntable Stainless Pump Motor

2848 SERIES



Shown with filtration and sump sweep & deluxe kit with side sink

MEDIUM DUTY

The Cuda model 2848 is our most common automatic parts washer for over-the-road 6 cylinder diesel engine repair facilities. Featuring a turntable diameter of 28-inches, working height of 48-inches, and load capacity of 1000 lbs, the 2848 Series is equipped with a 5 HP vertical seal-less pump producing 110 GPM at 50 PSI.

- **Ideal for OTR truck and diesel repair facilities**
- **Implement dealers with larger 4-wheel drive tractors**
- **Fits 6 cylinder oil pans, valve covers, and cylinder heads**

- Vertical / Seal-less Pump: 5 HP / 110 GPM / 50 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 83"H
- Shipping: 57"L x 48"W x 89"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2848	1.043-422.0	48"	28"	230/1	58	1125
2848	1.043-421.0	48"	28"	208/1	64	1125
2848	1.043-394.0	48"	28"	230/3	36	1125
2848	1.043-423.0	48"	28"	208/3	40	1125
2848	1.043-424.0	48"	28"	460/3	17	1125
2848	1.043-425.0	48"	28"	575/3	14	1125
Stainless Steel Models						
2848	1.043-482.0	48"	28"	230/1	58	1125
2848	1.043-481.0	48"	28"	208/1	64	1125
2848	1.043-480.0	48"	28"	230/3	36	1125
2848	1.043-483.0	48"	28"	208/3	40	1125
2848	1.043-484.0	48"	28"	460/3	17	1125
2848	1.043-485.0	48"	28"	575/3	14	1125

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Recommended Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container
8.915-493.1	Stainless Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-316.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.915-352.0	Two-Tier Turntable ●
8.725-267.0	Heater Timer, 24 hour 7 day	8.705-957.0	28" Containment Ring
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.757-650.0	Premium Detail and Power Brush
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.915-378.0	Filtration
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.915-379.0	Filtration & Sump Sweep
8.924-172.0	Oil Drain Container	8.704-104.0	Cuda Vac 55
8.751-001.0	Adjustable Parts Tree - Medium		Upgrade: low amp 230/208V 1PH - 44/40Amp

● Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.751-001.1	Stainless Adjustable Parts Tree - Medium	8.915-378.1	Stainless Filtration
8.705-957.1	Stainless Containment Ring	8.915-379.1	Stainless Filtration & Sump Sweep
8.924-172.1	Stainless Oil Drain Container	8.915-352.1	Stainless Two-Tier Turntable Stainless Pump Motor

2860 SERIES



MEDIUM DUTY

The Cuda 2860 increases the working height to 60-inches, while maintaining the smaller footprint of a 28-inch turntable, and load capacity of 1000 lbs. The 2860 Series is equipped with a 5 HP vertical seal-less pump producing 110 GPM at 50 PSI.

- **Ideal for cleaning axles, oil field tools, cylindrical tubes, hydraulic cylinders, and other length items.**

- Vertical / Seal-less Pump: 5 HP / 110 GPM / 50 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 95"H
- Shipping: 57"L x 48"W x 101"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2860	1.043-426.0	60"	28"	230/1	58	1200
2860	1.043-429.0	60"	28"	230/3	36	1200
2860	1.043-428.0	60"	28"	208/3	40	1200
2860	1.043-427.0	60"	28"	460/3	17	1200

Standard Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-316.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.705-957.0	28" Containment Ring
8.725-267.0	Heater Timer, 24 hour 7 day	8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.757-650.0	Premium Detail and Power Brush
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.915-378.0	Filtration
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.915-379.0	Filtration & Sump Sweep
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.704-104.0	Cuda Vac 55
8.924-172.0	Oil Drain Container		Upgrade: low amp 230/208V 1PH - 44/40Amp
8.751-001.0	Adjustable Parts Tree - Medium		

3648 SERIES



HEAVY DUTY

The Cuda model 3648 is a cleaning beast. It is an essential tool for every serious truck & heavy equipment repair facility. It features a turntable diameter of 36-inches, working height of 48-inches, and load capacity of 2500 lbs. The 3648 Series is equipped with a 7.5 HP vertical seal-less pump producing 150 GPM at 50 PSI, and has a 113-gallon sump capacity.

- Ideal for large OTR diesel repair shops
- Large implement dealers
- Construction equipment repair, and engine rebuilders

- Vertical / Seal-less Pump: 7.5 HP / 150 GPM / 50 PSI
- 2,500 Lbs. Load Capacity, determined with even weight distribution
- 113 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 57"L x 49"W x 94"H
- Shipping: 73"L x 60"W x 99"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
3648	1.043-477.0	48"	36"	230/3	62	1700
3648	1.043-508.0	48"	36"	208/3	69	1700
3648	1.043-478.0	48"	36"	460/3	32	1700
3648	1.043-479.0	48"	36"	575/3	28	1700
Stainless Steel Models						
3648	1.043-507.0	48"	36"	230/3	62	1700
3648	1.043-509.0	48"	36"	208/3	69	1700
3648	1.043-506.0	48"	36"	460/3	32	1700
3648	1.043-505.0	48"	36"	575/3	28	1700

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Recommended Accessories

Part No.	Description
8.922-632.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container
8.922-632.1	Stainless Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.749-395.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.921-971.0	Two-Tier Turntable ●
8.725-267.0	Heater Timer, 24 hour 7 day	8.753-767.0	36" Containment Ring
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.757-650.0	Premium Detail and Power Brush
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.921-972.0	2 Stage Filtration
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.921-973.0	Filtration & Sump Sweep, 2 Stage
8.924-172.0	Oil Drain Container	8.704-105.0	Cuda Vac 110
8.751-025.0	Adjustable Parts Tree - Large		Upgrade: 208V 1PH - 80Amp, 230V 1PH - 75Amp

● Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.751-025.1	Stainless Adjustable Parts Tree - Large	8.921-972.1	Stainless 2 Stage Filtration
8.753-767.1	Stainless Containment Ring	8.921-973.1	Stainless Filtration & Sump Sweep, 2 Stage
8.924-172.1	Stainless Oil Drain Container	8.921-971.1	Stainless Two-Tier Turntable Stainless Pump Motor

4860 SERIES



HEAVY DUTY

The Cuda 4860 is the work horse for heavy duty engine and transmission rebuilders, and features a turntable diameter of 48 inches, working height of 60 inches, and load capacity of 5000 lbs. The 4860 Series is equipped with a 7.5 HP vertical seal-less pump producing 200 GPM at 50 PSI, and has a 156-gallon sump capacity.

- Ideal for large engine rebuilders
- Large diesel OTR truck repair and dealers
- Construction equipment repair
- Large implement dealers

- Vertical / Seal-less Pump: 7.5 HP / 200 GPM / 50 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 156 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Optional 12" Height Extension
- Machine: 75"L x 66"W x 105"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
4860	1.043-444.0	60"	48"	230/3	55	2400
4860	1.043-519.0	60"	48"	208/3	60	2400
4860	1.043-445.0	60"	48"	460/3	32	2400
4860	1.043-446.0	60"	48"	575/3	26	2400
Stainless Steel Models						
4860	1.043-510.0	60"	48"	230/3	55	2400
4860	1.043-520.0	60"	48"	208/3	60	2400
4860	1.043-511.0	60"	48"	460/3	32	2400
4860	1.043-512.0	60"	48"	575/3	26	2400

Note: Standard 4860 ships by flatbed and does not qualify for free freight.

Standard Recommended Accessories

Part No.	Description
8.916-220.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container
8.916-220.1	Stainless Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container NOTE: Parts basket is galvanized steel, all other parts are stainless steel.

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.749-395.0	60 Mesh Insert for Debris Screen Tray
9.802-283.0	Hour Meter	8.749-492.0	Two-Tier Turntable ●
8.725-267.0	Heater Timer, 24 hour 7 day	8.749-392.0	48" Containment Ring
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.757-650.0	Premium Detail and Power Brush
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.916-341.0	2 Stage Filtration
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.916-342.0	Filtration & Sump Sweep, 2 Stage
8.924-172.0	Oil Drain Container	8.916-365.0	12" Height Extension
8.751-025.0	Adjustable Parts Tree - Large	8.704-105.0	Cuda Vac 110

● Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.751-025.1	Stainless Adjustable Parts Tree - Large	8.916-341.1	Stainless 2 Stage Filtration
8.749-392.1	Stainless Containment Ring	8.916-342.1	Stainless Filtration & Sump Sweep, 2 Stage
8.924-172.1	Stainless Oil Drain Container	8.749-492.1	Stainless Two-Tier Turntable Stainless Pump Motor

7248 SERIES

HEAVY DUTY



Approx. scale to 7248 model

Cuda's 7248 features a large 72-inch turntable diameter, allowing users to clean a wide range of industrial components. Its working height stands at 48-inches, and it boasts a load capacity of 5000 lbs. The 7248 series is equipped with a 10 HP vertical seal-less pump producing 160 GPM at 50 PSI, and has a 200-gallon sump capacity.

- Ideal for heavy duty cleaning
- Oil and gas industry tools and BOP's
- High volume engine rebuilding
- Railroads and large manufacturing

- Vertical / Seal-less Pump: 10 HP / 160 GPM / 45 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 200 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Roll-In Door
- Push Button Table Jog
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Machine: 100"L x 85"W x 100"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
7248	1.043-516.0	48"	72"	230/3	58	3400
7248	1.043-517.0	48"	72"	460/3	32	3400
7248	1.043-518.0	48"	72"	575/3	26	3400
Stainless Steel Models						
7248	1.043-590.0	48"	72"	230/3	58	3400
7248	1.043-591.0	48"	72"	460/3	32	3400
7248	1.043-592.0	48"	72"	575/3	26	3400

NOTE: Standard 7248 series ship shrink wrapped on a flatbed and require the contact name and telephone number of the recipient. Allow additional transit time.

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.923-103.0	72" Containment Ring
9.802-283.0	Hour Meter	8.757-650.0	Premium Detail and Power Brush
8.725-267.0	Heater Timer, 24 hour 7 day	8.921-972.0	2 Stage Filtration
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.923-102.0	Filtration & Sump Sweep, 2 Stage
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.916-221.0	Swing Down Spray Arm
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12"x 6")	8.916-713.0	Middle Spray Manifold, Detachable
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.704-105.0	Cuda Vac 110
8.924-172.0	Oil Drain Container		

Stainless Optional Accessories

Part No.	Description	Part No.	Description
8.924-172.1	Stainless Oil Drain Container		Stainless Filtration & Sump Sweep, 2 Stage
	Stainless 72" Containment Ring		Stainless Swing Down Spray Arm
	Stainless 2 Stage Filtration		Middle Spray Manifold, Detachable Stainless

7272 SERIES



Approx. scale to 7272 model

HEAVY DUTY

Cuda's 7248 features a large 72-inch turntable diameter, allowing users to clean a wide range of industrial components. Its working height stands at 48-inches, and it boasts a load capacity of 5000 lbs. The 7248 series is equipped with a 15 HP vertical seal-less pump producing 200 GPM at 50 PSI, and has a 250-gallon sump capacity.

- Ideal for heavy duty cleaning
- Oil and gas industry tools and BOP's
- High volume engine rebuilding
- Railroads and large manufacturing

- Vertical / Seal-less Pump: 15 HP / 160 GPM / 45 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 250 Gal. Sump Capacity
- (3) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Roll-In Door
- Push Button Table Jog
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Machine: 100"L x 90"W x 124"H

Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
7272	1.043-523.0	72"	72"	460/3	45	4500

NOTE: Standard 7272 series ship shrink wrapped on a flatbed and require the contact name and telephone number of the recipient. Allow additional transit time.

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.923-103.0	72" Containment Ring
9.802-283.0	Hour Meter	8.757-650.0	Premium Detail and Power Brush
8.725-267.0	Heater Timer, 24 hour 7 day	8.921-972.0	2 Stage Filtration
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.923-102.0	Filtration & Sump Sweep, 2 Stage
8.731-254.0	Small Parts Basket - Light Duty (8" x 8" x 4")	8.916-283.0	Middle Spray Manifold, Detachable
8.753-825.0	Medium Parts Basket - Light Duty (16" x 12" x 6")	8.924-191.0	60 Mesh Insert for Debris Screen Tray
8.753-826.0	Large Parts Basket - Medium Duty (18" x 16" x 8")	8.704-105.0	Cuda Vac 110
8.924-172.0	Oil Drain Container		



Cuda Cleaning Systems detergents contain advanced formulas engineered specifically for use in aqueous parts washers. Our advanced formulas include an exclusive multi-metal corrosion inhibitor for rust-protection.

	Part No.	Size	Ship Wt	Description
SMP-1000 Soft Metal Powder	1.014-040.0	40 lbs	42 lbs	Our scented light to medium duty general purpose detergent for plastic, rubber, aluminum, copper, steel, stainless steel and brass. SMP-1000 is powerful detergent specifically formulated to penetrate difficult to remove oil, grease, tar, carbon deposits and heavy soil on soft metal parts. Ships non-hazardous.
	1.014-400.0	400 lb Drum	415 lbs	
	1.014-040.1	48 x 40-lb Pails	1920 lbs	
	Pallet orders receive up to \$500 freight credit			
CUDA 1993 The Original	1.017-050.40	40 lbs	43 lbs	Cuda 1993 Original is simply the most effective and powerful non-hazardous, biodegradable cleaning detergent on the market. It is a safe multi-metal, alkaline powdered detergent engineered to produce superior cleaning results for aqueous process parts cleaning. Cuda Original performs in all solvent-free, aqueous industrial parts washers and includes a strong rust inhibitor and defoaming agent which eliminates the need for additional products. Ships non-hazardous.
	1.017-450.0	450 lbs	469 lbs	
	1.017-050.1	48 x 40-lb Pails	2445 lbs	
	Pallet orders receive up to \$500 freight credit			
LRL-1000 Low Residue Liquid	8.698-096.0	5 gal	46 lbs	Effective Cleaning with a Low Residue Finish LRL-1000 effectively removes contaminants and leaves the part's surface ready for assembly, paint, and applications where a fine finish is required. Phosphate-free, this detergent is optimized to remove cutting oils, grease, and moderate soil loads and can be used on a wide variety of materials including iron, steel, stainless steel, aluminium, brass, copper and plastic parts. RECOMMENDED USES: Manufacturing, aerospace, re-manufacturing, final cleaning. Ships non-hazardous.
	8.698-097.0	55 gal	513 lbs	
MPW-1000 Manual Parts Washer Detergent	8.905-727.0	5 gal	43 lbs	Worker Contact Safe with a Pleasant Citrus Aroma MPW-1000 is a biodegradable, moderate pH, water-based liquid detergent formulated to remove greases, oils and grime that can be used on most surfaces, including steel, stainless steel, brass, aluminium, copper and plastics. Low-cost disposal and peace of mind that it's environmentally friendly. RECOMMENDED USES: Industries using manual parts washer or aqueous parts sinks.
	8.905-727.5	55 gal	510 lbs	
Phosphatizer (liquid)	8.698-008.0	5 gal	51 lbs	One and Done A complete one-step detergent and phosphatizing system for cleaning metal parts and preparing them for painting. RECOMMENDED USES: Use on iron and steel, prep parts for painting.
	8.698-009.0	55 gal	543 lbs	
Defoamer (liquid)	1.016-001.0	4 x 1-gal case	36 lbs	A fast-acting, additive that suppresses foam build up in soak tanks and automatic parts washers. RECOMMENDED USES: Compatible with any metal, painted or plastic pieces that can be cleaned in a parts washer.
	1.016-005.0	5 gal	51 lbs	
	1.016-055.0	55 gal	520 lbs	
Paint and Powder Coat Remover (liquid)	8.905-720.0	5 gal	51 lbs	An alkaline stripper, quickly and effectively dissolves all types of paint and powder coatings. RECOMMENDED USES: Removes paint from iron and steel, not intended for use on aluminum, magnesium or galvanized metals.
Vapor Corrosion Inhibitor VCI (liquid)	1.015-001.0	4 x 1-gal case	36 lbs	A superior blend of rust and corrosion inhibitors that give outstanding protection in both the liquid and vapor phase. RECOMMENDED USES: Protects steel and prevents rust and corrosion in automatic parts washers and the metal parts being cleaned.
	1.015-005.0	5 gal	46 lbs	
	1.015-055.0	55-gal	493 lbs	
Detergent Scoop	8.712-896.0	16 oz.		White Detergent Scoop

Contact us for more information:

Cuda Cleaning Systems

PO Box 846, 600 21st St. SW
Watertown, SD 57201

For sales and technical support call:
844-394-4412 (toll free)

Please send all sales inquiries and purchase orders to:
sales@cudausa.com

